

Bind together. Send secure.



Product & Equipment Guide



We are passionate about leading the thought behind and wrap around our nations pallets. It's how we look beyond the package to the products, processes and potential of our clients. It's why we now lead New Zealand in specialised pallet wrapping film and machinery.

Our Values	05
Our Products	07
NanoWrap	
NanoZero	
FutureWrap	
XT Wrap	
ClearWrap	
SmartWrap Wideweb	
SmartWrap	
QuickWrap	
WeatherShield	
VentWrap	
SecuraWrap	
EziWrap	
PalletPlus	
Stabulon™	
StrapEzi	
OrgaPack	
Our Machinery	27
Spinny	
Wulftec	
Scope	44
Our Strength	46
Load Profile Matrix	49
Quick Product Guide	50
Our Team	54

For over three decades we've been making sure everything's tight and right for Kiwi businesses.

Our approach to each task starts and finishes with a dedication to quality service. At Universal we believe in always treating our customers like they want to be treated.

It's a non-negotiable, every-day-in-every-way standard that delivers clarity of purpose to our work and peace of mind to our customers.

Correct stretch wrapping not only ensures goods arrive in the best condition, it minimises damage costs and maximises process efficiency. That's why we take a broad view of your operation – to see where we can save time and money within every aspect of your pallet wrapping process.

Since we first opened our doors in 1985 our team has worked with New Zealand companies from Kaitia to the Bluff. Be it light or heavy, from tissue paper to concrete blocks, if it's dispatched on a daily basis the chances are that we've helped to wrap it.

This experience is vital. Pallet wrap, shrink wrap or stretch film, you can call it what you want. But when you need to get the most from product and processes, from how and where it's wrapped to key matters of security, efficiency and cost effectiveness, call us first.

Our Values



Read some company values and you'll be forgiven for thinking they were written by throwing a bunch of fancy-sounding words in a hat and then picking a few out at random. The results are generally bland, inappropriate and entirely forgettable.

That's not for us. Our values provide us with focus in our everyday work and purpose in our each-and-every minute effort. They ensure the products and service of Universal are the best they can be. They are consistent. They are authentic. They are non-negotiable.

Integrity.

**Assured values.
Absolute worth.**

New Zealand is a small country where a company's reputation travels far and wide. Our adherence to guiding principles, customer solutions service and individual and company accountability ensures this reputation is of the highest order.

Empathy.

A helping hand.

Only by understanding the challenges faced by our customers can we help them overcome any problems they may face. Only by recognising differences can we value, celebrate and grow the unique skills and personalities within our team. Everyday, in every way, kindness and awareness is crucial.

Ingenuity.

Extra miles make for better results.

Change is always constant. By thinking outside the box we can improve packaging and distribution performances in ways that may not be at first obvious. By backing this with impeccable, unbeatable service we can go the extra mile. And the places we arrive are often of immense value for all.

Hilarity.

Let the good times roll.

When the days are long and the work is hard a little laughter and good-natured fun can make all the difference. It's a down-to-earth approach that our customers certainly appreciate too. That's why we'll never get too wrapped up in ourselves. Life's too short not to love a good laugh!

Loyalty.

To one. To all.

We are loyal to our customers – their success is our success. We are loyal to our team, pitching in and helping out whenever it's needed. We'll never place quick gains or selfish goals above personal values or our company ethos.



07

Our Products:

We offer a superior range of pallet wrapping products thanks to our dedication to research and development.




Only by consistently looking to the needs of our customers and how best we can meet these needs can we ensure our product range can fit the pallet and fit the purpose in the most efficient and cost-effective way possible.



NANOWRAP®

We are proud to offer this high-tech, future-focused pallet wrap to forward-thinking companies around New Zealand. Nanowrap is the result of a big investment in research and development – joining multiple layers into an ultra-thin polymer required specialist expertise and technology. The result was worth it. 33 layers of high-performance wrap – a uniquely formulated film with a core formation to deliver 300% stretch capacity and maximum load stability, minimal weight and enduring peace of mind.

Features


-  **Load Protection.** Nanowrap delivers unrivalled performance levels in load containment and puncture resistance. Even though the overall thickness is reduced (in comparison to other packaging films) load stability is far higher.
-  **Eco Sustainability.** Reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight less fuel is needed too, making Nanowrap a win-win choice.
-  **Cost Savings.** The smallest gains can make a big difference in logistical costs. So when 1 metre of unstretched Nano film is stretched to 4m of wrap you're using up to 35% less product per pallet, well... those savings can be significant.




Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20412	NanoWrap 12 Machine Stretch Wrap 500mm x 2720m x 12mu	1	50
20415	NanoWrap 15 Machine Stretch Wrap 500mm x 2175m x 15mu	1	50
20416	NanoWrap UVA Machine Stretch Wrap 500mm x 2175m x 15mu	1	50
20417	NanoWrap 17 Machine Stretch Wrap 500mm x 1920m x 17mu	1	50
20420	NanoWrap 20 Machine Stretch Wrap 500mm x 1630m x 20mu	1	50
20423	NanoWrap 23 Machine Stretch Wrap 500mm x 1420m x 23mu	1	50
20475	NanoWrap EW Machine Stretch Wrap 750mm x 2175m x 15mu	1	25
20477	NanoWrap EW Machine Stretch Wrap 750mm x 1920m x 17mu	1	25/30

The Nano Advantage

**Nano = 175**
750mm x 1920m x 17um

**Standard = 138**
750mm x 2025m x 20um

A closer look. Strength in unity.


While not obvious on the surface level once you put NanoWrap under the microscope you'll see the difference in quality. Each of the three Nano layers are less than 1% of the overall film thickness, providing incredible strength without adding to the bulk or weight of the film.

Conventional blown film

3 layers

NanoWrap cast film

33 layers





NANOZERO®

Our first coreless Nano hand stretch film, this environmentally friendly system gives you all the benefits of Nano layer film in a hand roll. Using the latest film winding technology we are now able to offer our customers this innovative coreless option. Designed to reduce waste this solution also assists in shrinking packaging costs. Apply with the reusable plastic core and help eliminate cardboard core waste.

Features

- Thin film.** Use at least 10% less film with this advanced Nano layer film.
- Protect.** While it's not as thick as other packaging films it's even tougher – with superior performance levels in load containment, puncture resistance and load stability.
- Sustain.** You can reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight there's less fuel costs too – a nice bonus. Environmental advantages due to no cores being used and no disposal costs for used cores.
- Ease.** Designed for walk-forward application, NanoZERO greatly cuts down on the risk of trips and falls while reducing repetitive back strain. Overall product weight reduction – health and safety “in use” benefits. Simple and easy to use with a reusable applicator.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20460	Nanozero Hand Stretch Wrap 420mm x 600m x 5mu	6	192



FUTUREWRAP®

Made with 50% renewable raw materials, and with a 90% lower carbon footprint compared to conventional products, FutureWrap is one way responsible Kiwi companies can reduce environmental impact and surpass sustainability targets.

The sustainability secret of this wrap is its origin. 50% of FutureWrap's raw material comes from sugar cane, which is extracted from the unused residual flow during sugar production.

Features

- Micro-layer strength**
- High tear resistance**
- Powerful holding force**
- Less film used per pallet**
- Covers wide range of loads**

At Universal Packaging we've advocated for 'doing more with less' for years. We understand small decisions made in packaging can have big consequences for the bottom line of your budget, the perception of your brand and the long-term viability of your business. So we're not just helping reduce and recycle packaging but also investing in the development of new eco-friendly products and processes.

That's why we're proud of the sweet origin and smart thinking of FutureWrap. It's how you can protect the planet as you protect your products and deliver a brighter future for all. Make the right choice today. Choose FutureWrap.

50%

Renewable raw material

90%

Lower CO2 footprint

100%

Recyclable



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20354	FutureWrap Bio Based Machine Stretch Wrap 500mm x 1500m x 23mu	1	30





XTWRAP

With heavy-duty reinforced edges and incredible stretch capability XTWrap makes it exceptionally easy to make excellent savings when hand wrapping. There's greater comfort – it's designed for walk-forward application and the lightweight, aerated roll reduces strain. There is less damage (the banded edge of the puncture-resistant film increases the holding force on the pallet). And there's greater efficiency. The reduced plastic per pallet helping minimise waste overall operating costs, savings of up to 50% less compared with conventional 20 – 23 micron film.

Features

More comfort. When hand-wrapping pallets many people tend to walk backwards. It's an unhealthy approach. In the short-term there's a risk of trips and falls. In the long-term it causes repetitive strain on the back.

The roll is designed for walk-forward application and the lightweight, aerated roll minimises strain and effort. As an easier and safer product for hand wrapping XTWrap helps both individuals and companies step forward with confidence.

Less breakage. Tears in packaging film can compromise the goods on the pallet and frustrate operators. The reinforced edges prevent tears while the puncture-resistant composition of the film keeps any small rips in their place.

The tougher borders also eliminate edge catch – a primary cause of tearing. The roll itself is aerated, giving it a spongy texture that also prevents damage to the film if a roll is dropped.

Less waste. It doesn't matter what industry you're in, chances are you're striving to minimise waste, inefficiency and overall operating costs. Reducing the amount of plastic used to wrap each pallet load can be a big step in this process.

XTWrap is stronger than other wraps. Which means that less is needed to contain a pallet load. We're not talking small savings here either – it can be up to 50% less when compared with a conventional 20 - 23 micron film. So you can use half as much wrap without compromising load integrity.


More security. It's simple – damage to product means damage to your bottom line. When wrapped in XTWrap a pallet load is firmly and more securely contained. It's safer in transit and product damage is less likely.

This security is primarily thanks to the reinforced edge. This acts like a band, allowing the wrap to grip a pallet load more firmly and increasing the overall holding force of the packaging.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20281	XTWrap Hand Stretch Wrap 500mm x 330m x 12um	6	192



CLEARWRAP

It's New Zealand's favourite choice in stretch wrap, a quality, ultra-clear, hybrid cast film offering superior elasticity, higher puncture resistance and excellent stretch memory. With these benefits you can easily identify and scan wrapped products, maximise the value per wrap and ensure stable and secure pallets long after wrapping has been completed. For peace and quiet when wrapping and peace of mind as your goods are stored and transported the choice is clear.

Features

Elasticity: Outstanding stretch guarantees up to 300% yield per roll. Maximise your value per wrap while keeping the cost per pallet down.

Cling: Specially formulated one sided cling means wrap clings to itself but not the neighbouring pallets.

Memory: Excellent elastic memory; means guaranteed pallet integrity, keeps loads stable and secure during transport and long after film is applied.

Clarity: Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.

Low Noise: Super quiet unwind allows application near offices and telephones.

Quality Assured: Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.



Banding increases airflow on hot products to help eliminate condensation



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20006	ClearWrap20 Hand Stretch Wrap 500mm x 350m x 20um	6	180
20002	ClearWrap23 Hand Stretch Wrap 500mm x 400m x 23um	4	160
20049	ClearWrap15 Machine Stretch Wrap 500mm x 2700m x 15um	1	40
20051	ClearWrap18 Machine Stretch Wrap 500mm x 2250m x 18um	1	40
20052	ClearWrap20 Machine Stretch Wrap 500mm x 2025m x 20um	1	40
20054	ClearWrap23 Machine Stretch Wrap 500mm x 1750m x 23um	1	40
20059	ClearWrap30 Machine Stretch Wrap 500mm x 1350m x 30um	1	40
20072	ClearWrap20W Machine Stretch Wrap 600mm x 2025m x 20um	1	40
20074	ClearWrap23W Machine Stretch Wrap 600mm x 1750m x 23um	1	40
20078	ClearWrap30W Machine Stretch Wrap 600mm x 1350m x 30um	1	40
20082	ClearWrap20EW Machine Stretch Wrap 750mm x 2025m x 20um	1	20



SMARTWRAP^U

WIDEWEB

Smartwrap Wide Web jumbo rolls are ideally suited to ‘lights out’ manufacturing areas where minimal operator input is required. Wide Web format film is preferred when products are approximately the same in height and generally uniform in shape. Only four to six rotations are required to secure most loads; rolls changeover is generally reduced to one change per shift and pilferage, loss and breakage are dramatically reduced.



Features

- Speed.** Wrap pallets with less equipment revolutions and less time needed, ensuring you can send goods out the door quickly and efficiently.
- Size.** The large size and tough construction makes this product ideal for wrapping large objects that require tall pallet loads.
- Cost Savings.** SmartWrap Wideweb is also helpful for wrapping regular sized pallet loads to save on film and energy costs.

Product Options

Code	Description	Rolls/Pallet
20290	SmartWrap WideWeb Machine Stretch Wrap, 120kg Roll 1400mm x 7750m x 12um	6



SMARTWRAP^U

For the intelligent choice in wrapping SmartWrap provides all the strength for your pallets with a fraction of the wrap. That’s thanks to the smart resins and state-of-the-art technology within production of the advanced wrap, a process that ensures, when compared to standard wrap products, you can wrap the same amount of pallets with 50% less film. When you need greater load stability, easy-use and less time wasted with your wrapping, wise up with SmartWrap.



Features

- Less is More** Double your output and save up to 50% on your film consumption.
- Plus all the features and benefits of ClearWrap**
- Cling** Specially formulated inside cling means wrap clings to itself but not the neighbouring pallets.
- Memory** Excellent elastic memory; means guaranteed pallet integrity, keeps loads stable and secure during transport and long after film is applied.
- Clarity** Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.
- Low Noise** Super quiet unwind allows application near offices and telephones.
- Quality Assured** Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20278	SmartWrap Hand Stretch Wrap 500mm x 550m, Elite	4	200
20280	SmartWrap Hand Stretch Wrap 500mm x 400m, Premium	4	200
20282	SmartWrap Hand Stretch Wrap 500mm x 350m, Ultra	4	200
20283	SmartWrap Hand Stretch Wrap 500mm x 300m, Tough	4	200
20285	SmartWrap Machine Stretch Wrap 500mm x 2500m, Premium	1	50



QUICKWRAP

Sure, we could go on and on about the benefits of this film. But don't worry – we'll keep it quick. Quick and easy to handle, this revolutionary pallet wrapping film combines the qualities of the conventional ClearWrap films with the easier application properties of pre-stretch technology. QuickWrap offers minimum cost per wrap, less waste and is safe and easy to use. When you have the need for speed this wrap is a snap.



Features

- Better Value**
Having been pre-stretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.
- Easier to Apply**
QuickWrap is easier to apply which increases productivity and minimises the risk of injury and strain. Pre-stretching results in an aerated roll which is lighter and softer to handle.
- Exceptional Performance**
Having been pre-stretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.
- Added Value**
All rolls come packed in durable cardboard cartons to prevent dust buildup and roll damage.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20328	QuickWrap Pre-stretched Hand Wrap 450mm x 500m, Heavy	4	192



WEATHERSHIELD

This is the ultimate all-weather wrap for your products – a specifically formulated hybrid cast stretch wrapping film designed for use on pallets that will be exposed to the elements. WeatherShield delivers all the performance standards of ClearWrap along with the all-important weather-proofing benefits, including an extra high inside cling to guard against water ingress and superior UV stabilisation. For durable and secure pallet protection you'll be packing with confidence – and singing in the rain.



Features

- WeatherShield combines key weather proofing benefits:**
- Waterproof**
Extra high inside cling eliminates water ingress and stops wrap unwind. Inside cling means it clings to itself but not the neighbouring pallets.
 - UV Stabilisation**
With a high UV content, this film will withstand outdoor conditions for up to 18 months. Protect your products from harmful rays.

Plus all the features and benefits of ClearWrap

Elasticity

Cling

Memory

Clarity

Low Noise

Quality

Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20764	WeatherShield23 Machine Stretch Wrap UV 500mm x 1500m x 23um	1	40





VENTWRAP

This perforated stretch wrap has been carefully developed to provide perfectly vented protection for pallets of produce, dairy, beverage and frozen food. With punched holes for ventilation this wrap eliminates condensation build-up on the inside of the film and markedly reduces spoilage times – all without losing the strength and convenience of regular pallet wrap or the performance capabilities of stretch netting.




Features

- Hot Filled Products**
VentWrap prevents condensation developing avoiding associated problems such as, rust on tins or caps, discolouration of packaging & labels and impaired performance of glues.
- Frozen Products**
VentWrap shortens the freezing time as the cold air comes through to the product quicker. Also the thawing time is shortened as the moisture can escape faster.
- Fresh Produce & Plants**
VentWrap gives product protection combined with optimal air circulation contributing to longer lasting freshness.

Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20615	VentWrap Perforated Hand Stretch Wrap 420mm x 500m, Pre-stretch	6	180
20620	VentWrap Perforated Machine Wrap 500mm x 1200m x 30mm	6	60



SECURAWRAP



Sometimes you need to keep everything under wraps until the right time. With SecuraWrap you can conceal the contents of your cargo quickly and easily – the bright and bold wrapping effectively covering up what’s inside and deterring theft during shipment. With this key strength the wrap is ideal for both protecting valuable and confidential products and quickly identifying products that are urgent, need to be used first or are perishable.

Colour Options

- White** Excellent for food products as it does not attract the heat.
- Black** Generally used for concealing pallet loads of tobacco and alcohol.
- Red** Indicates product not fit for human consumption
- Blue & Yellow** Used for urgent freight identification and for identifying perishable stock which needs to be used first.

Product Options

Code	Description	Rolls/Carton
20258	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, White	4
20203	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Black	4
20255	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Red	4
20262	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Blue	4
20266	SecuraWrap Hand Stretch Wrap 500mm x 350m x 23um, Yellow	4
20253	SecuraWrap Machine Stretch Wrap 500mm x 1305m x 25um, Black	4



EZIWRAP



It’s all ‘easy does it’ with our EziWrap. This bundling wrap can be used to replace tape and twine when packaging small items and, unlike tapes, it won’t stick to the product or leave residue. The stretch wrap dispenser makes hand-wrapping easy too, the telescopic shaft and moulded hand-grip and top handle designed to be user-friendly across different sized rolls. With End Caps you’ll also save your fingers, save time and save stress. Yes – it’s that Ezi.



End Caps



Hand Wrap Dispenser

Product Options

Code	Description	Qty/Carton
22300	EziWrap Bundle Wrap 100mm x 300m x 20um	20
22302	EziWrap Heavy Duty Bundle Wrap Dispenser	1
22200	EziWrap Heavy Duty Hand Stretch Wrap Dispenser	1
22202	EziWrap Plastic End Caps – Light Duty	2
22204	EziWrap Plastic End Caps – Heavy Duty	2



Bundle Wrap

PALLETPLUS

The individual strengths of our PalletPlus range certainly adds up to deliver the total pallet package. We offer an extensive range of pallet wrapping essentials to complement our range of stretch film products. We hold standard stock products and also manufacture customised products to individual requirements. That means, be it for top covers, top sheets, shrouds and hoods, bin liners, base and layer sheets, and corner boards, we’ve got you covered.

Pallet Top Covers

Perforated sheets of plastic film on a roll to protect the top of palletised goods and large articles from dirt, rain and other damage during transit. A good tamper deterrent also. Top covers are supplied perforated on a roll. Dependent upon volume, custom made sizes, grades and colours are also available upon request.

Pallet Top Sheets

Pallet Top Sheets come as a continuous single wound sheet (SWS) for fully automated machine application and are often custom made to suit the client’s machine.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
22700	Pallet Top Covers , Natural, 250/roll 840/1680mmW x 1680mmL x 20um	1	36
22702	Pallet Top Covers , Black, 250/roll 840/1680mmW x 1680mmL x 20um	1	36
22705	Pallet Top Covers , Natural, 250/roll 1000/2000mmW x 2000mmL x 20um	1	25
22720	Pallet Top Covers , Natural, 100/roll 1050/2100mmW x 3000mmL x 50um	1	20
22810	Pallet Top Sheets , SWS, Natural 1600mmW x 500mL x 50um	1	20
22843	Pallet Top Sheets , SWS, Natural, UVA 1800mmW x 330mL x 75um (1850mm cove)	1	20
22845	Pallet Top Sheets , SWS, Natural 1800mmW x 420mL x 50um	1	20
22842	Pallet Top Sheets , SWS, Natural 2000mmW x 600mL x 50um	1	20

Pallet Shrouds

Heavy duty heat shrinkable and non-shrinkable pallet shrouds, used to provide a secure, puncture and weather resistant covering for unstable, heavy/irregular shaped products. Supplied perforated on a roll for ease of application. Also custom made on request in a range of sizes, thickness and colours.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
23070	Pallet Shrouds , Natural, 75/roll 1270 x 1070 x 1200mm, 70um	1	20
23003	Pallet Shrouds , Natural, 30/roll 1270 x 1070 x 1900mm, 125um	1	20
23068	Pallet Shrouds , White, 25/roll 1270 x 1070 x 1800mm, 100um	1	30

Pallet Base

Pallet Base and Layer Sheets offer protection from water, dirt or dust. Made from heavy corrugated cardboard, PE Coated Kraft paper or non-slip plastic, pallet sheets are placed either on the base of a shipping pallet before the goods are placed on top, in-between layers of product offering stability and further protection or on top of a shipping pallet to protect the goods underneath.



Product Options

Code	Description	Per/Pallet
22602	Pallet Base Sheet , 415B Board Grade 1200 x 1000mm	-
22610	Kraft Layer Sheet , 80gsm, 200/pkt 1200 x 900mm	-
22649	Plastic Layer Sheet , Low Slip, 500/roll 1200mm x 1000mm x 30um	30

Pallet Corner Boards

Using Cardboard Corner Boards (edge protectors) avoids costly damage to products in transit or storage. They provide greater stacking strength when pallets are double or triple stacked, eliminate shifting loads and stabilise strapped or stretch-wrapped loads.



Product Options

Code	Description	Per/Pallet
44504/1000	Corner Board 1000mm x 50mm x 50mm x 4mm	400
44504/1200	Corner Board 1200mm x 50mm x 50mm x 4mm	400
44504/1500	Corner Board 1500mm x 50mm x 50mm x 4mm	400
44504/2000	Corner Board 2000mm x 50mm x 50mm x 4mm	400

Bin Liners

Bin Liners are a strong 125 micron clear polythene liner that are perforated on a roll for ease of use. Being leak-proof and safe to use with food, they are ideal for bulk bin liners where meat and seafood is being transported. They can also be used as a heavy duty pallet bag.



Product Options

Code	Description	Roll	Per/Pallet
23020	Bin Liners , Natural 1270mm x 1070mm x 3000mm x 70um	30	25



Stabulon™



STABULON™ anti-slip paper sheets reduce stacked product layers shifting during shipping and handling. Thanks to the high coefficient (up to 42°) on both sides, slippage and damage issues can become a thing of the past.

- Recycled paper coated 2 sides
- High non-slip properties
- Rigid
- 100% recyclable
- ISO 14062 Eco-designed certified
- Tertiary packaging, indirect food contact
- Stabilize any packaging format
- Manual and automated applications

Available in two weights.

Product Options

Code	Description	Per/Pallet
22670	Stabulon 100, 2 Side 1000mm x 1200mm 100gsm	250
22672	Stabulon 300, 2 Side 1000mm x 1200mm 300gsm	250



Premium PET Strapping

PET Strapping is the polyester strap you can rely on to bind right and stay strong. Tougher than polypropylene and more economical than steel strapping, it keeps integrity and retains tension for ideal load stability. It's tough (even penetration by errant nails won't stop it), it's safe and it's easy to apply – there are no sharp edges and it can be used by hand or with automated machinery.



Product Options

Code	Description	Rolls/pallet
42018	Premium PET strapping Fully Auto Grade 12mm x 0.7mm x 2200m, Embossed surface Breaking strain: 300kg	24
42005	Premium PET strapping 9mm x 0.65mm x 3200m Embossed surface Breaking strain: 210kg	20



PET Strapping Dispenser

Keep your pallet PET Strapping in reach and at hand with this fast, easy and efficient dispenser. While lightweight in design it has stay-tough construction, ensuring long-term strapping peace of mind.



Product Options

Code	Description
42003	PET strapping dispenser Strong, lightweight, easy to use with wheels, handle and tool storage.



ORGAPACK

The OrgaPack range of strapping equipment is well respected internationally for some very good reasons. First there is the well-balanced design, ensuring day after day of stress-free use. Then there's the functionality. Users have strap alignment measurements, favourite strapping mode, real time indication of applied tension force and variable tension speed control – all within easy reach and at the touch of a finger.



OR-T 130

Lightweight ease: Fast, easy and effortless, the OR-T 130 provides lightweight binding capability for functional pallet strapping.



OR-T 260

Everyday reliability: With proven performance and ideal hand-held balance, the durable design and practical functionality of the OR-T 260 makes it the most popular strapping tool around the world.



OR-T 450

Heavy-duty strength: Delivering an incredible 400-4500N of tension force the OR-T 450 is at the top of game for hand-held-in-control strapping capability.

	OR-T 130 Light	OR-T 260 Universal	OR-T 450 Heavy
Strap type	PET + PP	PET + PP	PET + PP
Strap width	9 - 13 mm	13 - 16 mm	16 - 19 mm
Strap thickness	PET: 0.4 - 0.8 mm; PP: 0.5 - 0.8 mm	0.5 - 1.0 mm	0.8 - 1.3 mm
Weight	3.6 kg	3.8 kg	4.3 kg
Tension force	150 - 1200 N	400 - 2500 N	400 - 4500 N
Variable Tension Speed	0 - 290 mm/s	0 - 220 mm/s	0 - 120 mm/s
Cycles / Charge	up to 800	up to 800	up to 800
Battery	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 4.0Ah
Charging time battery	15 - 30 min	15 - 30 min	25 - 35 min
Motor technology	Single motor technology, brushless	Single motor technology, brushless	Single motor technology, brushless
Dimension (L x W x H)	370 x 141 x 135 mm	370 x 141 x 135 mm	370 x 143 x 135 mm





27

Our Machinery:

With our international network and specialist partners we provide big and small New Zealand businesses with advanced wrapping technology – the kind of equipment that saves time, money and stress with every pallet wrapped.

Our Spinnny machines provide the answer to all your hand wrapping issues. With speed, precision and ongoing reliability they wrap up, wrap fast and wrap right. Our Wulftec equipment delivers high-end wrapping versatility and functionality. When it comes to quantity and quality this technology leads the way.

Zero

Semi Automated Stretch Wrapper

For a stretch-wrapping machine that makes simple business sense you can’t go past the Spinny Zero. Equipped with a mechanical brake for film tension and convenient and easy to use controls the Zero ensures a consistent quality wrap, lower labour costs and damage-free distribution.



Features

- 1 year factory warranty
- Made in Italy
- Variable rotating speed from 6 to 12 rpm with gradual rotation start/stop
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Single phase operation
- Full service maintenance plans
- Fast, nationwide parts backup
- Excellent after sales support and operator training

Additional Options

- Smart Touch control panel with 4 customization wrapping programs
- Turn table capacity up to 2000 kg and diameter up to 2200 mm
- Wrap height up to 3800 mm
- Ramp
- Load cell and monitor



Specifications

Turntable Diameter	1500 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 12 rpm
Production Rate Per hour	25 loads
Power Supply	Single Phase



S140

Semi Automated Stretch Wrapper

The Spinny S140 models are equipped with electromagnetic brake for optimal film tension and ongoing ease of use. We have also positioned the film carriage on the opposite side of the mast to the control panel. This helps ensures safety, as the operator avoids working in the vicinity of the film carriage.



Features

- 3 year factory warranty
- Made in Italy to rigorous quality standards
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- There-when-you-need-it parts backup
- Excellent after sales support and operator training

Additional Options

- Turn table diameter up to 2200 mm
- Wrap height up to 3100 mm
- Ramp
- Load cell and monitor
- With slotted base for pallet trolley



Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	25 loads
Power Supply	Single Phase



S140TP

Semi Automated Stretch Wrapper

The Spinny S140TP models have all the standard features of the S140 and are also equipped with a slotted turntable, meaning you can load your pallet with a hand pallet trolley. This ensures you can roll up, wrap up and move your pallet on with the minimum of fuss and time.



Features

- Slotted turntable for hand pallet trolley
- Electro magnetic braked film carriage
- Quality equipment made in Italy
- 3 year factory warranty
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Single phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Additional Options

- Turn table diameter up to 2200mm
- Wrap height up to 3800 mm
- Ramp
- Load cell and monitor



Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	25 loads
Power Supply	Single Phase



S300

Semi Automated Stretch Power Wrapper

The Spinny S300 is equipped with a high-performance motorised pre-stretch film carriage, ensuring the best utilisation of stretch film and effective wrapping of light and unsteady loads that couldn't be wrapped effectively with conventional friction brake systems.



Features

- Powered pre-stretch film carriage 200%-300%
- 3 year factory warranty
- Quality Italian design and construction
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- 5 Lockable programs to stop operator interference
- Full service maintenance plans
- Fast parts backup for ongoing peace of mind
- Superior post-sales support and operator training

Additional Options

- Turn table diameter up to 1800 mm
 - Mast extension from 2600-3100mm
 - Loading ramp
- Integrated load cell and weight indicator
 - Pit frame
 - With slotted turntable for pallet trolley



Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	25-35 loads
Power Supply	Single Phase



S500

Automated Stretch Wrapper

Fully automated and incredibly dependable, the Spinny S500 has an automated film clamp, welding and film cutting device. Simply deliver your pallet to the wrapper, activate the wrapper by remote and go and collect the next pallet while the S500 wraps your pallet automatically. It's a set-and-forget unit, delivering advanced wrapping efficiency in one easy-use package.



Features

- Powered pre-stretch film carriage 200%-300%
- 3 year full factory parts warranty
- Fully automated film clamp, film cutting device and film tail heat sealer
- Touch screen control panel giving 10 programmable wrapping options ability to lock programs to stop operator interference
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Fork slots in base for ease of relocation
- Quality Italian design and construction


Additional Options

- Turn table diameter up to 1800 mm
- Wrap height up to 3100 mm
- Loading ramp
- Integrated load cell and weight indicator
- Pit frame



Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2500 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	35-45 loads
Power Supply	Single Phase



S2300 Inline

Automated Stretch Wrapper

Fast, safe and hyper-efficient, the fully automated S2300 production wrapper's powered in-and-out conveyors keeps things moving from A to B with no DIY or extra OT needed.



Features

- Powered film carriage provides 200% - 300% pre-stretch
- Production rate per hour: 50-70 loads
- Quality equipment made in Italy
- 3 year factory warranty
- Fully automated film clamp, welding and film cutting device.
- Soft start and stop turntable function
- Indexed turntable returns to start
- Power supply – 3 Phase
- Photo cell for automatic load height detection
- Touch screen control panel giving 10 programmable wrapping options
- Touch screen control panel offers ability to lock programs to stop operator interference
- Full service maintenance plan
- Parts backup when and where you need it

Additional Options

- Additional conveyors
- Full safety system
- Top cover applicator

Photo right: Seales Winslow Ashburton



Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2400 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	50 – 70 loads
Power Supply	3 Phase





SMH150

Semi Automated Stretch Wrapper

Introducing the Wulftec SMH-150 model – a high quality, high profile turntable wrapper. Also available with an extended turntable specifically designed as the ideal stretch wrapping solution for standard New Zealand dairy board pallets.



Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training



Specifications

Standard Turntable Diameter	1300mm x 1300mm
Option: Custom Dairy Board Pallet Turntable	2200mm x 1160mm
Turntable Speed	0 to 16 rpm
Turntable Height	340mm
Load Weight	1800 kg
Wrap Height	2000 mm
Production Rate Per hour	25 loads
Power Supply	Single Phase



Photo: Open Country Dairy

SMLPA200

Automated Stretch Wrapper

The Wulftec SMLPA-200 automatic stretch wrapping machine is the industry’s most robust standalone wrapping machine. Built big, strong and tough the SMLPA-200 allows the forklift operator to place the pallet, and start the cycle remotely so other tasks can be performed.



Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec’s exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Turntable Speed	0 to 16 rpm
Maximum Load Size	1270mmL x 1270mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	55 loads Per hour
Power Supply	Single Phase



Countdown Distribution Palmerston North

SMLCA277

Fully Automated Stretch Wrapper

This is a heavy-duty automatic wrapper with powered conveyors on the turntable and a gravity out-feed conveyor. The SMLCA-277 ensures the forklift operator can place the pallet and start the cycle remotely so other tasks can then be performed.



Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec’s exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Turntable Speed	0 to 16 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	1800 kg
Wrap Height	2000mm
Production Rate	55 loads Per hour
Power Supply	Single Phase



Tomoana Warehousing Hastings

WCA Smart

Fully Automated Stretch Wrapper

The WCA-SMART offers an extra heavy-duty ring gear driven automatic conveyorised turntable system perfect for space-restricted areas. Automatically applying and sealing off stretch film, it's ideal for increasing efficiency and throughput.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans

Specifications

Turntable Speed	0 to 16 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	1800 kg
Wrap Height	2000mm
Production Rate	70 loads Per hour
Power Supply	3 Phase



Fonterra Collingwood

WRTA150

Fully Automated Stretch Wrapper

The WRTA-150 is an automatic rotary arm wrapper with flexibility in functionality, making it ideal for odd shaped loads and allowing for unlimited load weight capacity. As it automatically applies and seals off stretch film there's no waiting around either.



Features

- Quality equipment made in Canada
- 4 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Superior driving mechanism with heavy duty ring gear with pinion gear drive
- Angled carriage to wrap approximately 2 above floor level
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm nothread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Single phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Rotary Arm Speed	0 to 17 rpm
Maximum Load Size	1400mmL x 1400mmW x 2035mmH
Load Weight	Unlimited
Wrap Height	2000mm
Production Rate	50 loads Per hour
Power Supply	Single Phase



Foodstuffs RLDC Palmerston North

WCRT200

Fully Automated Stretch Wrapper

This automatic conveyorised wrapper features a heavy-duty ring gear driven rotary arm. Automatically applying and sealing of stretch film, it improves load stability and packaging efficiency.




Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Superior driving mechanism with heavy duty 25"ring gear with pinion gear drive
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training wrapping

Specifications

Rotary Arm Speed	0 to 15 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	100 loads Per hour
Power Supply	3 Phase



Original easy load carriage

WCAT450

Fully Automated Stretch Wrapper

This model offers an automatic rotary arm combined with a conveyorised turntable, making it the ideal stretch wrapping solution for high speed application. Versatility is a major benefit – there's operation in only rotary arm mode, operation in only turntable mode or operation in combo arm turntable mode at 45 RPM. The ‘CAT’ ensures you can improve productivity and operator efficiency while reducing film and labour costs.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated infeed, process and outfeed roller conveyors
- Superior driving mechanism with heavy duty 25"ring gear with pinion gear drive for rotary arm and turntable
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Automated remote lube station (for turntable and rotary arm ring gear bearings)
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Turntable Speed	0 to 25 rpm
Rotary Arm Speed	0 to 20 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	120 loads Per hour
Power Supply	3 Phase



Oji Fibre Levin

WRING250

Fully Automated Stretch Wrapper

This fully conveyorised automatic ring machine is the ideal stretch wrapping solution for your unique needs. Expect to markedly improve productivity and operator efficiency while reducing film and labour costs.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Electronic control panel with four programmable wrapping cycles
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training wrapping

Specifications

Ring Speed	0 to 25 rpm
Maximum Load Size	1220mmL x 1020mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	75 loads Per hour
Power Supply	3 Phase



Heavy duty roller conveyors



Model: SMPLA2000
Countdown Logistics Palmerston North.




Real time film monitoring

The Scope programme has been developed to help NZ companies far more accurately monitor, improve and track pallet wrap use. At the heart of this programme is the tracking system, innovative technology that reports in real time pallet wrap cycle time, length and weight of film used and the date and time of pallets wrapped. This innovative system ensures significant increases in wrap efficiency, improving machine settings, ordering patterns, equipment utilisation and maintenance awareness.


Benefits

- Allow comparison of film usage between similar pallets in different warehouses on individual machines
- Allow comparison of pallets wrapped per hour, day, week, month or year between different picking teams, shifts or warehouses or machines
- Address anomalies in wrap application when they occur rather than going unnoticed.
- Ensures wrap benchmarks and machine set up is maintained.
- Increase accuracy of forecasting and smooth ordering patterns.
- Eliminate any 'out of stock' situations




The ultimate result is controlled film usage that eliminates waste, saves money and provides operations and purchasing visibility.

SCOPE2.0 is 100% designed, developed and controlled by Universal Packaging and is not subject to any overseas third party.



How it works



“Providing peace of mind for operational and procurement teams.”

Collective expertise. Cohesive service. United success.

At Universal Packaging we're proud of our commitment to quality service. We know that in the art and science of logistics there can be millions made in the millimetres gained.

Support

The last thing you want to be thinking about is your equipment breaking down. Yet over the lifetime of a stretch wrapper machine things will occasionally go wrong. We've developed our support system over the years to ensure we can deliver expertise when you need it, be it at the end of a phone or on site with the machine.



Parts



Breakdowns



Preventative Maintenance

We are here for you 0800 700 000



We didn't get where we are by settling for second best when it comes to quality client service.

We have a trusted network of expert service agents throughout New Zealand. They provide fast repairs, routine maintenance and service checks on pallet wrappers and can quickly respond to emergency call outs for fast assistance. Our stretch-wrap equipment uses a high proportion of non-proprietary components also, allowing us to quickly and easily source parts. So any production downtime is kept to a minimum.



Resources

Staying up to date with industry knowledge is key to optimising and maintaining your distribution capability. We've got the information for your innovation.

We invest in our training videos, tech guides, news articles and white papers to ensure our customers can stay up to speed with everything on offer. This knowledge is regularly sent out via The Binder, our ongoing newsletter, and it's also hosted online.


Training

There are a lot of moving parts within pallet wrapping equipment and many things to know to ensure everything continues to run smoothly.

We can provide your distribution centre training in pallet wrapping either online or in person. This training can be undertaken either with a new equipment purchase or as refresher courses. In this way we can ensure every team member knows how to get the most from your pallet packaging.



Load Profile Matrix



Quick Product Guide

		1. Potatoe Chip Pallet	2. Biscuit Pallet	3. Tissue Product Pallet	4. Empty Infant Formula Cans	5. Empty Cardboard Carton Pallet	6. Egg Tray Pallet	7. Milk Crate Pallet	8. Empty Glass Bottle Pallet	9. Beer/Wine/ Bottle Pallet	10. Full Produce Crate Pallet	11. Bricks/Tiles Pallet	12. Full Food Can/Jar Pallet	13. Bagged Cement/Lime Pallet	14. Paver & Block Pallet	15. Frozen Meat/Fish Pallet	16. Cheese Pallet	17. Sugar/Flour Pallet	18. Seed/Feed/ Fert Bag Pallet	19. FMCG Pallet	20. Dairy Board Pallet
		80-150kg Good Stability	130-200kg Good Stability	100-200kg Average Stability	200-300kg Average Stability	300-400kg Good Stability	400-500kg Good Stability	450-650kg Poor Stability	500-700kg Average Stability	700-1000kg Average Stability	600-900kg Average Stability	700-1200kg Poor Stability	900-1200kg Average Stability	900-1200kg Excellent Stability	900-1200kg Good Stability	900-1200kg Poor Stability	1000-1200kg Good Stability	1000-1300kg Excellent Stability	1000-1400kg Good Stability	500-1500kg Poor Stability	1400-1600kg Average Stability
Hand Wrap																					
● 20281	XTWrap																				
● 20278	Smartwrap Elite																				
● 20280	Smartwrap Premium																				
● 20282	Smartwrap Ultra																				
● 20283	Smartwrap Tough																				
● 20008	Clearwrap20																				
● 20002	Clearwrap23																				
● 20391	WeatherShield20																				
● 20615	Ventwrap																				
Semi auto turntable. Friction brake film application																					
● 20285	Smartwrap Premium																				
● 20049	Clearwrap15																				
● 20051	Clearwrap18																				
● 20052	Clearwrap20																				
● 20054	Clearwrap23																				
● 20059	Clearwrap30																				
● 20620	Ventwrap																				
Semi-automatic/auto turntable. Power pre-stretch 0-200% film application																					
● 20049	Clearwrap15																				
● 20051	Clearwrap18																				
● 20052	Clearwrap20																				
● 20054	Clearwrap23																				
● 20059	Clearwrap30																				
High speed fully automatic turntable/rotary arm. Power pre-stretch 200-300% film application																					
● 20412	Nanowrap12																				
● 20415	Nanowrap15																				
● 20417	Nanowrap17																				
● 20420	Nanowrap20																				
● 20423	Nanowrap23																				
Wide Web Fully Auto Turntable																					
● 20290	Smartwrap Wide Web																				

Our binding agreement:
We will remain a trusted partner to our customers by recognising that their success is our success and going above and beyond for their packaging needs. Each day we will support each other in this work, ensuring a secure future where everyone can grow and thrive.



Our Team



Matthew Goudie, Managing Director



Jed Goudie, General Manager



Olivia Bull, Customer Service Team Leader



Garth Hill, Technical Sales



Matt Goddin, Sales & Marketing Manager



Stacey Edwards, Technical Service Coordinator



Alan Trask, Warehouse Logistics



Charlotte McNicol, Customer Service



Nadia Ridsdale, Marketing Coordinator



Dave White, Commercial Business Manger



Jodie Whittaker, Finance



Brae Rusling, Storeman



NO ENTRY

PUMPTRUCKS
ONLY
NO FORKLIFTS

M.J. MAILLIS
WULFTEC.com

1





To find out more get in touch today at
info@universalpackaging.co.nz
or on 0800 700 000

universalpackaging.co.nz

Auckland

2 Railway Lane, Otahuhu
Auckland, 1061

Palmerston North

142 Benmore Avenue
Palmerston North 4412

Christchurch

2 Lydia St, Papanui
Christchurch 8052

