



33

343536

41 42


43

46

48

In, on & around the pallet.

With the combined product range of Universal Packaging and Spicers NZ, our industrial packaging solutions will ensure your goods get from A to B safely, securely and, where necessary, stylishly.





We are passionate about leading the thought behind and wrap around our nations pallets. It's how we look beyond the package to the products, processes and potential of our clients. It's why we now lead New Zealand in specialised pallet wrapping film and machinery.

Our Products	05	Our Machinery
NanoWrap	06	Spinny
NanoLite	08	Zero
Bolt™	09	S140
NanoEcho	10	S300
SmartWrap Wideweb	12	S500
SmartWrap	13	
ClearWrap	14	Wulftec
NanoZero	15	SMH150
XT Wrap	16	SMLPA200
QuickWrap	17	SMLCA277
WeatherShield	18	WCASmart
VentWrap	19	WRTA150
SecuraWrap	20	WCRT200
EziWrap	20	WCAT450
PalletEssentials	21	Wring250
Stabulon™	23	
Stock Cartons	24	Service Support
Custom Cartons	25	
Tapes & Labels	26	
StrapEzi™	28	
OrgaPack	29	
ErgoPack™	30	
Mosca™	31	



Our Products:

We offer a superior range of pallet wrapping products thanks to our dedication to research and development.

Only by consistently looking to the needs of our customers and how best we can meet these needs can we ensure our product range can fit the pallet and fit the purpose in the most efficient and cost-effective way possible.



We are proud to offer this high-tech, future-focused pallet wrap to forward-thinking companies around New Zealand. NanoWrap is the result of a big investment in research and development - joining multiple layers into an ultra-thin polymer required specialist expertise and technology. The result was worth it. 55 layers of high-performance wrap - a uniquely formulated film with a core formation to deliver 300% stretch capacity and maximum load stability, minimal weight and enduring peace of mind.



Features



Load Protection. NanoWrap delivers unrivalled performance levels in load containment and puncture resistance. Even though the overall thickness is reduced (in comparison to other packaging films) load stability is far higher.



Eco Sustainability. Reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight less fuel is needed too, making NanoWrap a win-win choice.




Cost Savings. The smallest gains can make a big difference in logistical costs. So when 1 metre of unstretched Nano film is stretched to 4m of wrap you're using up to 35% less product per pallet, well... those savings can be significant.

Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20412	NanoWrap 12 Machine Stretch W 500mm x 2720m x 12um	rap 1	50
20415	NanoWrap 15 Machine Stretch W 500mm x 2175m x 15um	/rap 1	50
20416	NanoWrap UVA Machine Stretch 500mm x 2175m x 15um	Wrap 1	50
20417	NanoWrap 17 Machine Stretch W 500mm x 1920m x 17um	rap 1	50
20420	NanoWrap 20 Machine Stretch V 500mm x 1630m x 20um	Vrap 1	50
20477	NanoWrap EW Machine Stretch V 750mm x 1920m x 17um	Wrap 1	25/30
20480	NanoWrap EW Machine Stretch \ 750mm x 1630m x 20um	Wrap 1	25/30


The Nano Advantage



A closer look. Strength in unity.

While not obvious on the surface level once you put NanoWrap under the microscope you'll see the difference in quality. Each of the three Nano layers are less than 1% of the overall film thickness, providing incredible strength without adding to the bulk or weight of the film.

Conventional blown film 3 layers NanoWrap cast film 55 layers





Lite weight innovation. Heavyweight performance.

Thin gauge NanoLite film, up to 50% thinner than the competition. Lower gauge reduces the volume of film needed to securely wrap pallets which reduces the amount of plastic into the supply chain. The most sustainable hand wrapping solution for the planet and your business.



Features



Lightweight cardboard core, reducing waste and environmental impact.



Pre-stretched to provide exact application tension, resulting in optimum load holding force.



Tough 33 nano-layer technology, delivering robust film with superior containment force.



LLDPE recycle code 4, ensuring film is fully recyclable.



Reinforced folded edge for additional load containment, eliminating tearing from the edge.

Product Options:

Universal Packaging

Product and Equipment guide

Code	Description	Rolls/Carton	Rolls/Pallet
Designe	ed for use with the BOLT disper	iser.	
20221	NanoLite Hand Wrap 380mm x 480m x 5um	8	288
20222	NanoLite Hand Wrap 380mm x 323m x 7.4um	8	288
Designe	ed with two-inch cores for hand	l use.	
Designe 20455		luse.	312
·	NanoLite Hand Wrap 430mm x 600m x 5.5um		312



Lightning speed. Leading safety.

The BOLT dispenser is the safest way to hand wrap pallet loads of goods. There's no awkward bending, no walking backwards and tripping hazards, no tricky stretching, and no knuckle grazing or friction burns. With the feather-light but sturdy design comes simplicity in use. There's no more guesswork needed to wrap with the correct tension. The BOLT is NZ's go-to hand-wrapping tool. It's safe. It's easy. And it's seriously fast.





Features



Reliable tension A clever torque limiter ensures consistent tension without placing unnecessary pressure on the film core.



Magnet Attraction An optional retrofittable magnet secures the BOLT to a forklift or pallet racking when you're on the go.



Smart design Additional tension adjustment and an ergonomic curved handle makes ongoing operation incredibly easy.



Superior Grip The optional foam handle grip enhances comfort so operators can avoid callouses.



A foot up An optional foot means you can place it directly on the floor ready for the next pallet.



Fast reloading ease The unique quick-release feature is designed for easy roll replacement to reduce unnecessary downtime.



Built-tough performance A strong, lightweight dropresistant frame and tensioning knob means it will take the knocks and keep on wrapping.

Product Options:

20220 BOLT Hand Wrap Dispenser





Made from 30% recycled material, and with 55 layers of stretch and strength, NanoEcho quite simply delivers more protection while using less plastic.



Features

Waste reduction. Choosing NanoEcho makes a huge difference to the overall waste stream both in pre-use and post-use of the advanced film. This allows NZ companies to reduce their carbon emissions to meet and surpass sustainability goals.

Advanced construction. The innovative manufacturing technique joins multiple layers into an ultra-thin polymer. This process delivers 55 nano-layers of strength and provides greater stretch and containment force while using less plastic and keeping weight to a minimum.

Load protection. With a comparable film weight to NanoWrap, and similar stretch and containment properties, NanoEcho provides consistently superior performance and puncture resistance when compared to traditional stretch film.



55 Lavers



30% Recycled Content



100% Recyclable

Product Options:

Universal Packaging

Product and Equipment guide

Code	Description	Rolls/Carton	Rolls/Pallet
20478	NanoEcho Machine Stretch Wrap 500mm x 1920m x 17um	1	50



ISCC Plus Certification



The Process. Quality in, quality out.

(ISCC) provides an independent standard for measuring and quantifying the true sustainable credentials of materials in the packaging industry. Products that carry the ISCC PLUS mark are guaranteed to have undergone a rigorous auditing process to ensure consistent traceability of raw materials used in production. NanoEcho is our first film to achieve this

The International Sustainability and Carbon Certification standard.

Not all recycled pallet wrap is created equal. Inferior raw material in some recycled products negatively impacts stretch and containment standards. Subsequently more plastic is needed to contain loads (and there is more chance of breakage and product damage).

To ensure NanoEcho could 'carry the weight' for the sustainability goals of Kiwi companies, a reliable original waste source was needed pre-production. A new recycling facility was opened in 2021 - one that could deliver this quality raw material with unerring consistency.





Images from a NanoEcho trial at DB Breweries.



Plastic is collected from post-industrial waste sources.



The waste is sorted by type, colour, and grade. This is a rigorous process that ensures plastics with similar properties in terms of chemical composition, melting point and contaminant levels can be grouped together.



The plastic is passed through a shredder to prepare it for processing. This granulating process also exposes any remaining impurities in the plastics.



The shredded pieces are melted and transformed into resin pellets, which can be mixed into the plastic production line based on an extrusion formulation.


universalpackaging.co.nz




SmartWrap Wide Web jumbo rolls are ideally suited to 'lights out' manufacturing areas where minimal operator input is required. Wide Web format film is preferred when products are approximately the same in height and generally uniform in shape. Only four to six rotations are required to secure most loads; rolls changeover is generally reduced to one change per shift and pilferage, loss and breakage are dramatically reduced.



Features





Cost Savings. SmartWrap Wideweb is also helpful for wrapping regular sized pallet loads to save on film and energy costs.



Product Options

Universal Packaging

Product and Equipment guide

Code	Description	Rolls/Pallet
20290	SmartWrap WideWeb Machine Stretch Wrap, 120kg Roll 1400mm x 7750m x 12um	6






For the intelligent choice in wrapping SmartWrap provides all the strength for your pallets with a fraction of the wrap. That's thanks to the smart resins and state-ofthe-art technology within production of the advanced wrap, a process that ensures, when compared to standard wrap products, you can wrap the same amount of pallets with 50% less film. When you need greater load stability, easy-use and less time wasted with your wrapping, wise up with SmartWrap.


Features



Less is More Double your output and save up to 50% on your film consumption.

Plus all the features and benefits of ClearWrap





- Clarity Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.
- Low Noise Super quiet unwind allows application near offices and telephones.
- Quality Assured Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20278	SmartWrap Hand Stretch Wrap 500mm x 550m, Elite	4	200
20280	SmartWrap Hand Stretch Wrap 500mm x 400m, Premium	4	200
20282	SmartWrap Hand Stretch Wrap 500mm x 350m, Ultra	4	200
20283	SmartWrap Hand Stretch Wrap 500mm x 300m. Tough	4	200





CLEARWRAP⁹

It's New Zealand's favourite choice in stretch wrap, a quality, ultra-clear, hybrid cast film offering superior elasticity, higher puncture resistance and excellent stretch memory. With these benefits you can easily identify and scan wrapped products, maximise the value per wrap and ensure stable and secure pallets long after wrapping has been completed. For peace and quiet when wrapping and peace of mind as your goods are stored and transported the choice is clear.

Features

- **Elasticity:** Outstanding stretch guarantees up to 300% yield per roll. Maximise your value per wrap while keeping the cost per pallet down.
- Cling: Specially formulated one sided cling means wrap clings to itself but not the neighbouring pallets.
- Memory: Excellent elastic memory; means guaranteed pallet integrity, keeps loads stable and secure during transport and long after film is applied.
- Clarity: Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.
- Low Noise: Super quiet unwind allows application near offices and telephones.
- Quality Assured: Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.



Banding increases airflow on hot products to help eliminate condensation



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20006	ClearWrap20 Hand Stretch Wrap 500mm x 350m x 20um	6	180
20002	ClearWrap23 Hand Stretch Wrap 500mm x 400m x 23um	4	160
20049	ClearWrap15 Machine Stretch Wr 500mm x 2700m x 15um	rap 1	40
20051	ClearWrap18 Machine Stretch Wr 500mm x 2250m x 18um	rap 1	40
20052	ClearWrap20 Machine Stretch W 500mm x 2025m x 20um	rap 1	40
20054	ClearWrap23 Machine Stretch W 500mm x 1750m x 23um	rap 1	40
20059	ClearWrap30 Machine Stretch W 500mm x 1350m x 30um	rap 1	40
20072	ClearWrap20W Machine Stretch 600mm x 2025m x 20um	Wrap 1	40
20074	ClearWrap23W Machine Stretch 600mm x 1750m x 23um	Wrap 1	40
20078	ClearWrap30W Machine Stretch 600mm x 1350m x 30um	Wrap 1	40



Our first coreless Nano hand stretch film, this environmentally friendly system gives you all the benefits of Nano layer film in a hand roll. Using the latest film winding technology we are now able to offer our customers this innovative coreless option. Designed to reduce waste this solution also assists in shrinking packaging costs. Apply with the reusable plastic core and help eliminate cardboard core waste.

ER 0

Features



Thin film: Use at least 10% less film with this advanced Nano layer film.



Protect: While it's not as thick as other packaging films it's even tougher - with superior performance levels in load containment, puncture resistance and load stability.



Sustain: You can reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight there's less fuel costs too - a nice bonus. Environmental advantages due to no cores being used and no disposal costs for used cores.



Ease: Designed for walk-forward application, NanoZero greatly cuts down on the risk of trips and falls while reducing repetitive back strain. Overall product weight reduction - health and safety "in use" benefits. Simple and easy to use with a reusable applicator.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20460	NanoZero Hand Stretch Wrap 420mm x 600m x 5um	6	192





XTWRAP4

With heavy-duty reinforced edges and incredible stretch capability XTWrap makes it exceptionally easy to make excellent savings when hand wrapping. There's greater comfort - it's designed for walk-forward application and the lightweight, aerated roll reduces strain. There is less damage (the banded edge of the puncture-resistant film increases the holding force on the pallet). And there's greater efficiency. The reduced plastic per pallet helping minimise waste overall operating costs, savings of up to 50% less compared with conventional 20 - 23 micron film.

Features



More comfort. When hand-wrapping pallets many people tend to walk backwards. It's an unhealthy approach. In the short-term there's a risk of trips and falls. In the long-term it causes repetitive strain on the back. The roll is designed for walk-forward application and the lightweight, aerated roll minimises strain and effort. As an easier and safer product for hand wrapping XTWrap helps both individuals and companies step forward with confidence.



Less breakage. Tears in packaging film can compromise the goods on the pallet and frustrate operators. The reinforced edges prevent tears while the puncture-resistant composition of the film keeps any small rips in their place. The tougher borders also eliminate edge catch - a primary cause of tearing. The roll itself is aerated, giving it a spongy texture that also prevents damage to the film if a roll is dropped.



Less waste. It doesn't matter what industry you're in, chances are you're striving to minimise waste, inefficiency and overall operating costs. Reducing the amount of plastic used to wrap each pallet load can be a big step in this process. XTWrap is stronger than other wraps. Which means that less is needed to contain a pallet load. We're not talking small savings here either - it can be up to 50% less when compared with a conventional 20 - 23 micron film. So you can use half as much wrap without compromising load integrity.



More security. It's simple - damage to product means damage to your bottom line. When wrapped in XTWrap a pallet load is firmly and more securely contained. It's safer in transit and product damage is less likely. This security is primarily thanks to the reinforced edge. This acts like a band, allowing the wrap to grip a pallet load more firmly and increasing the overall holding force of the packaging.




Product Options

Universal Packaging

Product and Equipment guide

Code	Description	Rolls/Carton	Rolls/Pallet
20281	XTWrap Hand Stretch Wrap 500mm x 330m x 12um	6	192





QUICKWRAP

Sure, we could go on and on about the benefits of this film. But don't worry - we'll keep it guick. Quick and easy to handle, this revolutionary pallet wrapping film combines the qualities of the conventional ClearWrap films with the easier application properties of prestretch technology. QuickWrap offers minimum cost per wrap, less waste and is safe and easy to use. When you have the need for speed this wrap is a snap.



Features



Better Value. Having been pre-stretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.



Easier to Apply. QuickWrap is easier to apply which increases productivity and minimises the risk of injury and strain. Pre-stretching results in an aerated roll which is lighter and softer to handle.



Exceptional Performance. Having been prestretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.



Added Value. All rolls come packed in durable cardboard cartons to prevent dust buildup and roll damage.



Product Options

Code	Description	Rolls/C	Carton	Rolls/Pallet
20328	QuickWrap Pre-stretched Hand V 450mm x 500m x 10um	Wrap	4	192





WEATHERSHIELD⁹

This is the ultimate all-weather wrap for your products a specifically formulated hybrid cast stretch wrapping film designed for use on pallets that will be exposed to the elements. WeatherShield delivers all the performance standards of ClearWrap along with the all-important weather-proofing benefits, including an extra high inside cling to guard against water ingress and superior UV stabilisation. For durable and secure pallet protection you'll be packing with confidence - and singing in the rain.



WeatherShield combines key weather proofing benefits:



Waterproof. Extra high inside cling eliminates water ingress and stops wrap unwind. Inside cling means it clings to itself but not the neighbouring pallets.



UV Stabilisation. With a high UV content, this film will withstand outdoor conditions for up to 18 months. Protect your products from harmful rays.

Plus all the features and benefits of ClearWrap


















Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20764	WeatherShield23 Machine Stretch Wrap UV 500mm x 1500m x 23um	1	40





This perforated stretch wrap has been carefully developed to provide perfectly vented protection for pallets of produce, dairy, beverage and frozen food. With punched holes for ventilation this wrap eliminates condensation build-up on the inside of the film and markedly reduces spoilage times - all without losing the strength and convenience of regular pallet wrap or the performance capabilities of stretch netting.

Features



Hot Filled Products. VentWrap prevents condensation developing avoiding associated problems such as, rust on tins or caps, discolouration of packaging & labels and impaired performance of glues.



Frozen Products. VentWrap shortens the freezing time as the cold air comes through to the product quicker. Also the thawing time is shortened as the moisture can escape faster.



Fresh Produce & Plant. VentWrap gives product protection combined with optimal air circulation contributing to longer lasting freshness.

Product Options

Code	Description	Rolls/Cartor	Rolls/Pallet
20615	VentWrap Perforated Hand Stret 420mm x 500m, Pre-stretch	ch Wrap 6	3 216
20620	VentWrap Perforated Machine W 500mm x 1200m x 30um	/rap 6	60













Sometimes you need to keep everything under wraps until the right time. With SecuraWrap you can conceal the contents of your cargo quickly and easily - the bright and bold wrapping effectively covering up what's inside and deterring theft during shipment. With this key strength the wrap is ideal for both protecting valuable and confidential products and quickly identifying products that are urgent, need to be used first or are perishable.

Colour Options



Black Generally used for concealing pallet loads of



Red Indicates product not fit for human consumption



Blue & Yellow Used for urgent freight identification and for identifying perishable stock which needs to be used first.

tobacco and alcohol.



It's all 'easy does it' with our EziWrap. This bundling

wrap can be used to replace tape and twine when

packaging small items and, unlike tapes, it won't

stick to the product or leave residue. The stretch

and save stress. Yes - it's that Ezi.

wrap dispenser makes hand-wrapping easy too, the

telescopic shaft and moulded hand-grip and top handle

designed to be user-friendly across different sized rolls.

With End Caps you'll also save your fingers, save time



End Caps

Hand Wrap Despenser

Product Options

Code	Description	Rolls/Carton
20203	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Black	4
20255	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Red	4
20262	SecuraWrap Hand Stretch Wrap 500mm x 400m x 23um, Blue	4
20266	SecuraWrap Hand Stretch Wrap 500mm x 350m x 23um, Yellow	4
20253	SecuraWrap Machine Stretch Wrap 500mm x 1305m x 25um, Black	1

Product Options

Code	Description	Qty/Carton
22300	EziWrap Bundle Wrap 100mm x 300m x 20um	20
22302	EziWrap Heavy Duty Bundle Wrap Dispenser	1
22200	EziWrap Heavy Duty Hand Stretch Wrap Dispens	ser 1
22202	EziWrap Plastic End Caps - Light Duty	2
22204	EziWrap Plastic End Caps - Heavy Duty	2



PALLETESSENTIALS !

The individual strengths of our PalletEssentials range certainly adds up to deliver the total pallet package. We offer an extensive range of pallet wrapping essentials to complement our range of stretch film products. We hold standard stock products and also manufacture customised products to individual requirements. That means, be it for top covers, top sheets, shrouds and hoods, bin liners, base and layer sheets, and corner boards, we've got you covered.



Pallet Top Covers

Universal Packaging

Product and Equipment guide

Perforated sheets of plastic film on a roll to protect the top of palletised goods and large articles from dirt, rain and other damage during transit. A good tamper deterrent also. Top covers are supplied perforated on a roll. Dependent upon volume, custom made sizes, grades and colours are also available upon request.



Pallet Top Sheets

Pallet Top Sheets come as a continuous single wound sheet (SWS) for fully automated machine application and are often custom made to suit the client's machine.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
22709	Pallet Top Covers, Natural, 250/re 840/1680mmW x 1680mmL x 16ur		25
22700	Pallet Top Covers, Natural, 250/rs 840/1680mmW x 1680mmL x 20u		36
22702	Pallet Top Covers, Black, 250/rol 840/1680mmW x 1680mmL x 20u		36
22705	Pallet Top Covers, Natural, 250/ru 1000/2000mmW x 2000mmL x 2		25
22720	Pallet Top Covers, Natural, 100/rd 1050/2100mmW x 3000mmL x 50		20

Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
22810	Pallet Top Sheets, SWS, Natural 1600mmW x 500mL x 50um	1	20
22843	Pallet Top Sheets, SWS, Natural, 1800mmW x 330mL x 75um (1850	•	20
22845	Pallet Top Sheets, SWS, Natural 1800mmW x 420mL x 50um	1	20
22842	Pallet Top Sheets, SWS, Natural 2000mmW x 600mL x 50um	1	20

22. Pallet Essentials

Universal Packaging
Product and Equipment guide

Universal Packaging
Product and Equipment guide
Product and Equipment guide

Pallet Shrouds

Heavy duty heat shrinkable and non-shrinkable pallet shrouds, used to provide a secure, puncture and weather resistant covering for unstable, heavy/irregular shaped products. Supplied perforated on a roll for ease of application. Also custom made on request in a range of sizes, thickness and colours.



Pallet Corner Boards

Using Cardboard Corner Boards (edge protectors) avoids costly damage to products in transit or storage. They provide greater stacking strength when pallets are double or triple stacked, eliminate shifting loads and stabilise strapped or stretch-wrapped loads.



Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
23070	Pallet Shrouds, Natural, 75/roll 1270 x 1070 x 1200mm, 70um	1	20
23003	Pallet Shrouds, Natural, 30/roll 1270 x 1070 x 1900mm, 125um	1	20
23068	Pallet Shrouds, White, 25/roll 1270 x 1070 x 1800mm, 100um	1	30

Product Options

Code	Description	Per/Pallet
44504/1000	Corner Board 1000mm x 50mm x 50mm x 4mm	400
44504/1200	Corner Board 1200mm x 50mm x 50mm x 4mm	400
44504/1500	Corner Board 1500mm x 50mm x 50mm x 4mm	400
44504/2000	Corner Board 2000mm x 50mm x 50mm x 4mm	400

Pallet Base

Pallet Base and Layer Sheets offer protection from water, dirt or dust. Made from heavy corrugated cardboard, PE Coated Kraft paper or non-slip plastic, pallet sheets are placed either on the base of a shipping pallet before the goods are placed on top, in-between layers of product offering stability and further protection or on top of a shipping pallet to protect the goods underneath.



Product Options

Code	Description	Per/Pallet
22602	Pallet Base Sheet, 415B Board Grade 1200 x 1000mm	-
22610	Kraft Layer Sheet, 80gsm, 200/pkt 1200 x 900mm	-
22649	Plastic Layer Sheet, Low Slip, 500/roll	30

Bin Liners

Bin Liners are a strong 125 micron clear polythene liner that are perforated on a roll for ease of use. Being leak-proof and safe to use with food, they are ideal for bulk bin liners where meat and seafood is being transported. They can also be used as a heavy duty pallet bag.



Product Options

Code	Description	Roll	Per/Pallet
23020	Bin Liners, Natural 1270mm x 1070mm x 3000mm x 70um	30	25

Stabulon[™]



STABULON™ anti-slip paper sheets reduce stacked product layers shifting during shipping and handling. Thanks to the high coefficient (up to 42°) on both sides, slippage and damage issues can become a thing of the past.

- · Recycled paper coated 2 sides
- · High non-slip properties
- Rigid
- 100% recyclable
- ISO 14062 Eco-designed certified
- Tertiary packaging, indirect food contact
- Stabilize any packaging format
- · Manual and automated applications
- · Available in two weights.

Product Options

Code	Description	Per/Pallet
22670	Stabulon 100, 2 Side	250
	1000mm x 1200mm 100gsm	





universalpackaging.co.nz

Stock Cartons

Our stock cartons are the strong, durable, and costeffective way to package goods for transport, storage and distribution. Made from 100% recyclable corrugated carton board, each is easy to assemble and can be conveniently stored flat when not in use.













Code	Description	Size(mm)	Bundle
000-00NI	Size 00	154 x 142 x 102	30
000-0NI	Size 0	190 x 150 x 155	25
000-1NI	Size 1	255 x 205 x 150	25
000-2NI	Size 2	250 x 250 x 200	25
000-3NI	Size 3	340 x 255 x 305	25
000-4NI	Size 4	405 x 255 x 255	25
000-5NI	Size 5	430 x 330 x 255	25
000-6NI	Size 6	455 x 305 x 305	25
000-7NI	Size 7	455 x 455 x 350	25
000-8NI	Size 8	510 x 380 x 280	25
000-9NI	Size 9	510 x 380 x 585	25
000-9NI30C	Size 9 A30C	510 x 380 x 585	25
000-10NI	Size 10	610 x 290 x 290	25
000-11NI	Size 11	370 x 217 x 231	25
000-14NI	ize 14	598 x 344 x 231	25
000-HA4S	Size Half A4 Small	305 x 215 x 105	30
000-A4S	Size A4 Small	305 x 215 x 200	30
000-A4NI	Size A4	310 x 225 x 250	30
000-A4DNI	Size A4 Deep	310 x 220 x 305	30
000-AA4NI	Size AA4	424 x 312 x 152	25
000-SRA3NI	Size SRA3	468 x 334 x 315	30
000-A2NI	Size A2	600 x 425 x 100	30

Code	Description	Size(mm)	Bundle
001-86SI	Size 86	186 x 140 x 130	25
001-1SI	Size 1	250 x 250 x 200	25
001-2ASI	Size 2A	280 x 173 x 195	25
001-2SI	Size 2	250 x 250 x 368	25
001-82SI	Size 82	300 x 200 x 160	25
001-3SI	Size 3	303 x 303 x 250	25
001-4SI	Size 4	340 x 255 x 305	25
001-4BSI	Size 4B	375 x 260 x 170	25
001-5SI	Size 5	405 x 255 x 255	25
001-6SI	Size 6	430 x 330 x 255	25
001-7SI	Size 7	455 x 305 x 305	25
001-8SI	Size 8	457 x 457 x 356	25
001-9SI	Size 9	510 x 380 x 280	25
001-10BSI	Size 10B	510 x 330 x 895	10
001-10SI	Size 10	510 x 380 x 585	25
001-11SI	Size 11	610 x 290 x 290	25
001-12SI	Size 12	305 x 217 x 305	20
001-14SI	Size 14	254 x 203 x 152	25
001-15SI	Size 15	450 x 340 x 150	25
001-16SI	Size 16	478 x 321 x 356	25
001-17SI	Size 17	500 x 500 x 450	25
001-20SI	Size 20	406 x 216 x 117	10
001-A4SHSI	Size Half A4 Small	305 x 215 x 105	25
001-A4S	Size A4 Small	305 x 215 x 200	25
001-A3SI	Size SRA3	50 x 320 x 255	25
001-792SI 5PF	Size 792	1235 x 150 x 100	25

Custom Cartons

It's true that one size does not fit all, and nor does one look cover every brand. Thanks to our custom sizing and custom printing capabilities we ensure Kiwi companies can gather their goods with truly eyecatching, reputation-enhancing results. For cartons with a unique look and a fit-for-purpose size, there is no better choice - your brand will look its absolute best from to the store and on the shelf.



Six steps to design a custom carton:



1. Confirm carton dimensions

Internal measurements for length x width x height.



2. Select carton type

RSC (Regular Slotted Case) FOF (Fully Overlapping Flap RSC) HSC (Half Slotted Case) 5PF (5-Panel Folder) Tray & Lid



3. Choose board colour

Kraft / White / Black



4. Confirm board grade

E-Flute (1.75mm) / B-Flute (3mm) / C-Flute (4mm) / Twin Cushion (7mm)



5. Custom printing option

Send us your idea and we'll help you develop an awesome custom printed design.



6. Quantity

Let us know if you need one or one million cartons. Generally you will need to order 500 or more if you want them custom printed.









Custom printed tape is an economical and effective way to get your message out there. Stay on brand by adding your company logo, protect your goods from damage with an important storage or handling message, or take the opportunity to do something a little more interesting and memorable for those receiving your goods.

How to order:



Create your design



Pick your roll direction



Choose your repeat lengths



Submit your artwork

Our custom printed tape is made with top quality adhesives and high-definition print. Available in a range of different base colours, lengths, and adhesives, they provide the perfect brand solution for Kiwi companies.

Tapes & Labels

Universal Packaging

Product and Equipment guide



Packaging Tape. Stay sure of your sending. These economical, high-quality pressure-sensitive tapes are used or sealing corrugated cartons. Made from a polypropylene backing with an acrylic or rubber adhesive, they are available in both standard and low noise options.

Message Tape. Where specific handling instructions are required, message tape can be the perfect tool to do the job. Instruct recipients to 'Handle With Care', that the items within are 'Fragile', or are subject to a 'Security Seal' – with customised messaging available too.

Labelopes. Keep things clear with this fast and easy method for shipping information (such as packing slip enclosed, invoice enclosed etc).







Economical

Customisable

Features & Benefits:

- Cost effective
- · Superior quality
- · Low noise tape options available

The Specs:

- 24-48mm standard width tape rolls
- · Clear or brown standard packaging tapes
- · Coloured/printed tapes available on request
- · Custom sizes available

Packaging Tape

Code	Description	Rolls (mm x m)	Carton
411-FG24100CL	Tape FPA3 Clear Premium Freezer Grade	24 x 100	72
411-E36100CI	Tape S99C Clear Economy	36 x 100	48
411-ET48100CL	Tape S99C Clear Economy	48 x 100	36
411-E48100CL	Tape S99C Clear Economy	48 x 100	36
411-E48100BR	Tape S93B Brown Economy	48 x 100	36
411-PFG48100CL	Tape S100 Clear Premium Freezer Grade	48 x 100	36
411-48100STCL	Tape Supatape Clear Low Noise	48 x 100	36
411-48100RA	Tape S30 Rubber Adhesive	48 x 100	36



Message Tape

Code	Description	Rolls (mm x m)	Roll/Carton
413-SEC48100	Security Seal	48 x 100	6/36
413-FRAG48100RW	Fragile - Red/White	48 x 100	6/36
413-REPACK48100	Repack	48 x 100	6/36



Label on a roll

Code	Description	Rolls (mm x m)	Roll
414-75100F	Fragile - Orange/Black	72 x 100	660
414-75100H	Heavy - Orange/Black	72 x 100	660
414-75100HWC	Handle with care - Orange/Black	72 x 100	660
414-75100TS	Top Stow - Orange/Black	72 x 100	660
414-75100TWU	This Way Up - Orange/Black	72 x 100	660
414-75100U	Urgent - Orange/Black	72 x 100	660
414-7575DC	Don't Crush - Orange/Black	72 x 100	660
414-96125DT	Deliver To - Yellow	95 x 125	400



Labelopes

Code	Description	Rolls (mm x m)	Вох
410-11510IE	Invoice Enclosed	115 x 150	1000
410-115150PSE	Packaging Slip Enclosed	115 x 150	1000
410-PLAINA4	Plain A4	332 x 235	500
410-PLAINA5L	Plain A5 Large	235 x 175	500
410-PLAINDOC	Plain Document	115 x 150	1000



universalpackaging.co.nz

28. Pallet Essentials Pallet Essentials 29. Universal Packaging Universal Packaging Product and Equipment guide Product and Equipment guide



Premium PET Strapping

PET Strapping is the polyester strap you can rely on to bind right and stay strong. Tougher than polypropylene and more economical than steel strapping, it keeps integrity and retains tension for ideal load stability. It's tough (even penetration by errant nails won't stop it), it's safe and it's easy to apply - there are no sharp edges and it can be used by hand or with automated machinery.



Product Options

Code	Description	Rolls/pallet
42018	Premium PET strapping Fully Auto Grade 12mm x 0.7mm x 2200m, Embossed surface Breaking strain: 300kg	24
42005	Premium PET strapping 9mm x 0.65mm x 3200m Embossed surface Breaking strain: 210kg	20



Keep your pallet PET Strapping in reach and at hand with this fast, easy and efficient dispenser. While lightweight in design it has stay-tough construction, ensuring long-term strapping peace of mind.



Product Options

Code	Description
42003	PET strapping dispenser Strong, lightweight, easy to use with wheels, handle and tool storage.







ORGAPACK

The OrgaPack range of strapping equipment is well respected internationally for some very good reasons. First there is the wellbalanced design, ensuring day after day of stress-free use. Then there's the functionality. Users have strap alignment measurements, favourite strapping mode, real time indication of applied tension force and variable tension speed control - all within easy reach and at the touch of a finger.







Lightweight ease: Fast, easy and effortless, the OR-T 130 provides lightweight binding capability for functional pallet strapping.



Everyday reliability: With proven performance and ideal hand-held balance, the durable design and practical functionality of the OR-T 260 makes it the most popular strapping tool around the world.




Heavy-duty strength: Delivering an incredible 400-4500N of tension force the OR-T 450 is at the top of game for hand-hold-in-control strapping capability.

	OR-T 130 Light	OR-T 260 General	OR-T 450 Heavy
Strap type	PET + PP	PET + PP	PET + PP
Strap width	9 - 13 mm	13 - 16 mm	16 - 19 mm
Strap thickness	PET: 0.4 - 0.8 mm; PP: 0.5 - 0.8 mm	0.5 - 1.0 mm	0.8 - 1.3 mm
Weight	3.6 kg	3.8 kg	4.3 kg
Tension force	150 - 1200 N	400 - 2500 N	400 - 4500 N
Variable Tension Speed	0 - 290 mm/s	0 - 220 mm/s	0 - 120 mm/s
Cycles / Charge	up to 800	up to 800	up to 800
Battery	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 4.0Ah
Charging time battery	15 - 30 min	15 - 30 min	25 - 35 min
Motor technology	Single motor technology, brushless	Single motor technology, brushless	Single motor technology, brushless
Dimension (L x W x H)	370 x 141 x 135 mm	370 x 141 x 135 mm	370 x 143 x 135 mm

ErgoPack™

Protect your team and your pallets with this advanced spine-friendly strapping system. With intuitive controls and everything within arm's reach, the ErgoPack is easy to use, quick to strap, and easy on the back.



With these speed and health benefits it's no wonder the ergonomic power of the ErgoPack is so popular internationally. For companies strapping multiple pallets per hour this heavy-duty, built-to-last technology is just what the doctor (and the accountant and the HR manager) ordered.

Features & Benefits:

- · Integrated line laser for easy positioning
- · Straps pallets up to 3 metres high
- · Patented sledge and ChainLance
- · Designed for use with work gloves
- · Robust touchscreen with intuitive user interface

The Specs:

- 36V battery for 650 strapping operations per charge
- · All coverings made of stainless steel or break-proof PE plastic
- · Backed by one year warranty



Universal Packaging

Product and Equipment guide





Mosca™

Mosca™ is renowned internationally for the strength and integrity within their product range. Their strapping is one of the key reasons for this reputation - the lightweight quality and heavyweight durability of this pallet aide a major winner for Kiwi companies everywhere.

With standard blue polypropylene machine strapping and hand application strapping available, as well as clear, black and white strapping, there are plenty of available options to meet your specific requirements. We can also provide a range of tools and accessories available to assist with applying this strapping.



Features & Benefits:

- · Strong & flexible
- · Durable & lightweight
- · Various breaking strain options available

The Specs:

- Hand and machine strapping available
- · Available in standard & heavy duty
- 5 19mm widths
- Useful for bundling products together & palletising

Code	Description	Thickness	Unit	Break Strain
500-H121000BL	PP Strap Hand Standard - Blue	12mm	1000m	110kg
500-191000STDBL	PP Strap Hand Standard - Blue	19mm	1000m	200kg
500-191000HDBK	PP Strap Hand Heavy Duty - Black	19mm	1000m	440kg
500-123000CL	PP Strap Machine Premium - Clear	12mm	3000m	130kg
500-123000BLM	Mosca PP Strapping 0.55mm - Blue	12mm	3000m	110kg
500-123000CLM	Mosca PP Strapping 0.55mm - Clear	12mm	3000m	110kg
500-57000BKM	Mosca PP Strapping - Black	5mm	7000m	55kg

Accessories

Code	Description	Suits	Thickness	Pack
501-PB12	Buckle Plastic	12mm PP	12mm	1000
501-PB19	Buckle Plastic	19mm PP	19mm	1000
501-MB13LB	Buckle Metal	12mm PP	13LB	2000
501-MB19CB	Buckle Metal	19mm PP HD	19CB	1000
501-MS19HD	Seal Metal	19mm PP	19HD	1000
501-SC19	Strapping Crimper	19mm PP		
501-ST	Strapping Tensioner	12mm/16mm/19mm		



Our Machinery:

With our international network and specialist partners we provide big and small New Zealand businesses with advanced wrapping technology – the kind of equipment that saves time, money and stress with every pallet wrapped.

Our Spinny machines provide the answer to all your hand wrapping issues. With speed, precision and ongoing reliability they wrap up, wrap fast and wrap right. Our Wulftec equipment delivers high-end wrapping versatility and functionality. When it comes to quantity and quality this technology leads the way.



Zero

Semi Automated Stretch Wrapper

For a stretch-wrapping machine that makes simple business sense you can't go past the Spinny Zero. Equipped with a mechanical brake for film tension and convenient and easy to use controls the Zero ensures a consistent quality wrap, lower labour costs and damage-free distribution.



Features

- 1 year factory warranty
- · Made in Italy
- Variable rotating speed from 6 to 12 rpm with gradual rotation start/stop
- · Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Single phase operation
- Full service maintenance plans
- · Fast, nationwide parts backup
- · Excellent after sales support and operator training

Additional Options

- Smart Touch control panel with 4 customization wrapping programs
- Turn table capacity up to 2000kg and diameter up to 2200mm
- Wrap height up to 3800mm
- Ramp
- · Load cell and monitor

Specifications

Turntable Diameter	1500 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 12 rpm
Production Rate Per hour	25 loads
Power Supply	Single Phase





Universal Packaging

Product and Equipment guide

S140

Semi Automated Stretch Wrapper

The Spinny S140 models are equipped with electromagnetic brake for optimal film tension and ongoing ease of use. We have also positioned the film carriage on the opposite side of the mast to the control panel. This helps ensures safety, as the operator avoids working in the vicinity of the film carriage.



Features

- 3 year factory warranty
- Made in Italy to rigorous quality standards
- Soft start and stop turntable function
- · Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- · Full service maintenance plans
- There-when-you-need-it parts backup
- · Excellent after sales support and operator training

Additional Options

- Turn table diameter up to 2200mm
- Wrap height up to 3100mm
- Ramp
- · Load cell and monitor
- · With slotted base for pallet trolley

Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	25 loads
Power Supply	Single Phase



universalpackaging.co.nz



S300

Semi Automated Stretch Power Wrapper

The Spinny S300 is equipped with a high-performance motorised pre-stretch film carriage, ensuring the best utilisation of stretch film and effective wrapping of light and unsteady loads that couldn't be wrapped effectively with conventional friction brake systems.



Features

- Powered pre-stretch film carriage 200%-300%
- 3 year factory warranty
- Quality Italian design and construction
- Soft start and stop turntable function
- Indexed turntable returns to start
- · Photo cell for automatic load height detection
- 5 Lockable programs to stop operator interference
- Full service maintenance plans
- Fast parts backup for ongoing peace of mind
- Superior post-sales support and operator training

Additional Options

- Turn table diameter up to 1800 mm
- Mast extension from 2600-3100mm
- Loading ramp
- · Integrated load cell and weight indicator
- Pit frame
- With slotted turntable for pallet trolley

Specifications

Universal Packaging

Product and Equipment guide

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2100 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	25-35 loads
Power Supply	Single Phase





S500

Automated Stretch Wrapper

Fully automated and incredibly dependable, the Spinny S500 has an automated film clamp, welding and film cutting device. Simply deliver your pallet to the wrapper, activate the wrapper by remote and go and collect the next pallet while the S500 wraps your pallet automatically. It's a set-and-forget unit, delivering advanced wrapping efficiency in one easy-use package.



Features

- Powered pre-stretch film carriage 200%-300%
- · 3 year full factory parts warranty
- Fully automated film clamp, film cutting device and film tail heat sealer
- Touch screen control panel giving 10 programmable wrapping options ability to lock programs to stop operator interference
- · Soft start and stop turntable function
- · Indexed turntable returns to start
- · Photo cell for automatic load height detection
- · Fork slots in base for ease of relocation
- · Quality Italian design and construction

Additional Options

- Turn table diameter up to 1800 mm
- Wrap height up to 3100 mm
- Loading ramp
- · Integrated load cell and weight indicator
- Pit frame

Specifications

Turntable Diameter	1650 mm
Turntable Capacity	2000 kg
Distance between mast and turntable	500 mm
Wrap Height	2500 mm
Turntable Speed	0 to 16 rpm
Production Rate Per hour	35-45 loads
Power Supply	Single Phase









Semi Automated Stretch Wrapper

Introducing the Wulftec SMH-150 model - a high quality, high profile turntable wrapper. Also available with an extended turntable specifically designed as the ideal stretch wrapping solution for standard New Zealand dairy board pallets.



Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- · Soft start and stop turntable function
- · Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator
- · Electronic control panel with four programmable wrapping cycles
- · Full service maintenance plans
- · Parts backup
- · Excellent after sales support and operator training

Specifications

Standard Turntable Diameter	1300mm x 1300mm
Option: Custom Dairy Board Pallet Turntable	2200mm x 1160mm
Turntable Speed	0 to 16 rpm
Turntable Height	340mm
Load Weight	1800 kg
Wrap Height	2000 mm
Production Rate Per hour	25 loads
Power Supply	Single Phase



Photo: Open Country Dairy

42. Our Machines

Universal Packaging
Product and Equipment guide

Universal Packaging
Product and Equipment guide

Our Machines 43.



SMLPA200

Automated Stretch Wrapper

The Wulftec SMLPA-200 automatic stretch wrapping machine is the industry's most robust standalone wrapping machine. Built big, strong and tough the SMLPA-200 allows the forklift operator to place the pallet, and start the cycle remotely so other tasks can be performed.



Features

- · Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- · Soft start and stop turntable function
- Indexed turntable returns to start
- · Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Turntable Speed	0 to 16 rpm
Maximum Load Size	1270mmL x 1270mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	55 loads Per hour
Power Supply	Single Phase



Countdown Distribution Palmerston North



SMLCA277

Fully Automated Stretch Wrapper

This is a heavy-duty automatic wrapper with powered conveyors on the turntable and a gravity out-feed conveyor. The SMLCA-277 ensures the forklift operator can place the pallet and start the cycle remotely so other tasks can then be performed.



Features

- · Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- · Fully automated film clamp, welding and film cutting device
- Soft start and stop turntable function
- · Indexed turntable returns to start
- · Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- · Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- · Full service maintenance plans
- Parts backup
- · Excellent after sales support and operator training

Specifications

0 to 16 rpm
1220mmL x 1220mmW x 2035mmH
1800 kg
2000mm
55 loads Per hour
Single Phase



Tomoana Warehousing Hastings

universalpackaging.co.nz



WCASmart

Fully Automated Stretch Wrapper

The WCA-SMART offers an extra heavy-duty ring gear driven automatic conveyorised turntable system perfect for space-restricted areas. Automatically applying and sealing off stretch film, it's ideal for increasing efficiency and throughput.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- $\bullet \ \ LIFETIME \ warranty \ on \ pre-stretch \ rollers \ blue \ compound$
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Soft start and stop turntable function
- · Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- · Easily available non- proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- · Full service maintenance plans

Specifications

Turntable Speed	0 to 16 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	1800 kg
Wrap Height	2000mm
Production Rate	70 loads Per hour
Power Supply	3 Phase



Fonterra Collingwood



WRTA150

Fully Automated Stretch Wrapper

The WRTA-150 is an automatic rotary arm wrapper with flexibility in functionality, making it ideal for odd shaped loads and allowing for unlimited load weight capacity. As it automatically applies and seals off stretch film there's no waiting around either.



Features

- Quality equipment made in Canada
- 4 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Superior driving mechanism with heavy duty ring gear with pinion gear drive
- Angled carriage to wrap approximately 2 above floor level
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof,

- UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/ electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm nothread® powered prestretch carriage (760mm optional)
- Easily available nonproprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Single phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

Specifications

Rotary Arm Speed	0 to 17 rpm
Maximum Load Size	1400mmL x 1400mmW x 2035mmH
Load Weight	Unlimited
Wrap Height	2000mm
Production Rate	50 loads Per hour
Power Supply	Single Phase



Foodtsuffs RLDC Palmerston North

universalpackaging.co.nz

WCRT200

Fully Automated Stretch Wrapper

This automatic conveyorised wrapper features a heavyduty ring gear driven rotary arm. Automatically applying and sealing of stretch film, it improves load stability and packaging efficiency.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- · LIFETIME warranty on prestretch rollers blue compound
- · Fully automated film clamp, welding and film cutting device
- · Fully automated in-feed, process and out-feed roller conveyors
- Superior driving mechanism with heavy duty 25"ring gear with pinion gear drive
- · Angled carriage to wrap approximately 2 above
- · Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen - play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic

- · Photo cell for automatic load height detection
- · State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered prestretch carriage (760mm optional)
- · Easily available nonproprietary parts
- · Dual carriage lifting chains enclosed inside tower for operator safety
- · Electronic control panel with four programmable wrapping cvcles
- 3 phase
- Full service maintenance plans
- Parts backup
- · Excellent after sales support and operator training wrapping

Specifications

Universal Packaging

Product and Equipment guide

Rotary Arm Speed	0 to 15 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	100 loads Per hour
Power Supply	3 Phase



Original easy load carriage



WCAT450

Fully Automated Stretch Wrapper

This model offers an automatic rotary arm combined with a conveyorised turntable, making it the ideal stretch wrapping solution for high speed application. Versatility is a major benefit - there's operation in only rotary arm mode, operation in only turntable mode or operation in combo arm turntable mode at 45 RPM. The 'CAT' ensures you can improve productivity and operator efficiency while reducing film and labour costs.



Features

- · Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- · LIFETIME warranty on prestretch rollers blue compound
- · Fully automated film clamp, welding and film cutting device
- · Fully automated infeed, process and outfeed roller
- · Superior driving mechanism with heavy duty 25"ring gear with pinion gear drive for rotary arm and turntable
- · Angled carriage to wrap approximately 2 above conveyor
- · Emergency stop sensor for arm path obstruction
- · Soft start and stop rotary arm function
- · Allen Bradley monochrome touch screen - play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic

- · Photo cell for automatic load height detection
- · State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered prestretch carriage (760mm optional)
- · Easily available nonproprietary parts
- · Dual carriage lifting chains enclosed inside tower for operator safety
- · Automated remote lube station (for turntable and rotary arm ring gear bearings)
- 3 phase
- · Full service maintenance plans
- Parts backup
- · Excellent after sales support and operator training

Specifications

Turntable Speed	0 to 25 rpm
Rotary Arm Speed	0 to 20 rpm
Maximum Load Size	1220mmL x 1220mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	120 loads Per hour
Power Supply	3 Phase



Oii Fibre Levin



WRING250

Fully Automated Stretch Wrapper

This fully conveyorised automatic ring machine is the ideal stretch wrapping solution for your unique needs. Expect to markedly improve productivity and operator efficiency while reducing film and labour costs.



Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on prestretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection


- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered prestretch carriage (760mm optional)
- Easily available nonproprietary parts
- Electronic control panel with four programmable wrapping cycles
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training wrapping

Specifications

Ring Speed	0 to 25 rpm
Maximum Load Size	1220mmL x 1020mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	75 loads Per hour
Power Supply	3 Phase



Heavy duty roller conveyors



Collective expertise. Cohesive service. United success.

At Universal Packaging we're proud of our commitment to quality service. We know that in the art and science of logistics there can be millions made in the millimetres gained.

Support

The last thing you want to be thinking about is your equipment breaking down. Yet over the lifetime of a stretch wrapper machine things will occasionally go wrong. We've developed our support system over the years to ensure we can deliver expertise when you need it, be it at the end of a phone or on site with the machine.

We didn't get where we are by settling for second best when it comes to quality client service.

We have a trusted network of expert service agents throughout New Zealand. They provide fast repairs, routine maintenance and service checks on pallet wrappers and can quickly respond to emergency call outs for fast assistance. Our stretch-wrap equipment uses a high proportion of non-proprietary components also, allowing us to quickly and easily source parts. So any production downtime is kept to a minimum.

Resources


Staying up to date with industry knowledge is key to optimising and maintaining your distribution capability. We've got the information for your innovation.

We invest in our training videos, tech guides, news articles and white papers to ensure our customers can stay up to speed with everything on offer. This knowledge is regularly sent out via The Binder, our ongoing newsletter, and it's also hosted online.

Training

There are a lot of moving parts within pallet wrapping equipment and many things to know to ensure everything continues to run smoothly.

We can provide your distribution centre training in pallet wrapping either online or in person. This training can be undertaken either with a new equipment purchase or as refresher courses. In this way we can ensure every team member knows how to get the most from your pallet packaging.







To find out more get in touch today at or on 0800 700 000

universalpackaging.co.nz

Auckland

1 Lady Fisher Place, Highbrook Auckland, 1640

Palmerston North

142 Benmore Avenue Palmerston North 4412

Wellington

480 Jackson Street, Petone Wellington, 5012

Christchurch

137 Hayden Road, Wigram Christchurch, 8042

Universal Packaging is a division of Spicers.